"NO COPIES IN WHATEVER FORMAT MAY BE MADE OF MATERIAL IN THIS MICROFORM. FOR PERMISSIONS CONTACT THE COPYRIGHT HOLDER ELSEVIER SCIENCE LTD. THE BOULEVARD, LANGFORD LANE, KIDLINGTON, OXFORD, ENGLAND OX5-1GB."

ELSEVIER

Biomembranes

Vol. 1368, 1998

BIOCHIMICA ET BIOPHYSICA ACTA
BBA

Author Index

Aguilella, V.M., see Levadny, V. (1368) 338
Albert, A.D., Young, J.E. and Paw, Z.
Phospholipid fatty acyl spatial distribution in bovine rod outer segment disk membranes (1368) 52
Ali, S., see Shangguan, T. (1368) 171
Anantharamaiah, G.M., see Polozov, I.V. (1368) 343

Bach, D. and Miller, I.R.
Hydration of phospholipid bilayers in the presence and absence of cholesterol (1368) 216
Baines, A.D., see Boyer, C.J.C. (1368) 73
Bakás, L., Veiga, M.P., Soloaga, A., Ostolaza, H. and Goñi, F.M.
Calcium-dependent conformation of *E. coli* α-haemolysin. Implications for the mechanism of membrane insertion and lysis (1368) 225
Bamberg, E., see Ganea, C. (1368) 84
Barenholz, Y., see Zuidam, N.J. (1368) 115
Barrow, K.D., see Karolis, C. (1368) 247
Beaulieu, É., see Boyer, C.J.C. (1368) 73
Belaya, M., see Levadny, V. (1368) 338
Béliveau, R., see Boyer, C.J.C. (1368) 73
Beutner, G., Rück, A., Riede, B. and Brdiczka, D.
Complexes between porin, hexokinase, mitochondrial creatine kinase and adenylate translocator display properties of the permeability transition pore. Implication for regulation of permeability transition by the kinases (1368) 7
Blume, G., see Cevc, G. (1368) 201
Boyer, C.J.C., Baines, A.D., Beaulieu, É. and Béliveau, R.
Immunodetection of a type III sodium-dependent phosphate cotransporter in tissues and OK cells (1368) 73
Brdiczka, D., see Beutner, G. (1368) 7
Brousseau, R., see Villalon, M. (1368) 27
Byk, G., see Escriou, V. (1368) 276

Cevc, G., Gebauer, D., Stieber, J., Schätzlein, A. and Blume, G.
Ultraflexible vesicles, Transfersomes, have an extremely low pore penetration resistance and transport therapeutic amounts of insulin across the intact mammalian skin (1368) 201
Chang, C.-Y., Muga, S.J. and Grider, A.
Zinc uptake into fibroblasts is inhibited by probenecid (1368) 1
Chi, C.-W., see Liu, S.-I. (1368) 256
Chilcott, T.C., see Karolis, C. (1368) 247
Ciancaglini, P., see Pizauro, J.M. (1368) 108
Ciolina, C., see Escriou, V. (1368) 276
Cornelius, F., see Gropp, T. (1368) 184
Cossins, A.R., see Logue, J.A. (1368) 41
Coster, H.G.L., see Karolis, C. (1368) 247
Crowe, J.H., see Hincha, D.K. (1368) 150

Demenis, M.A., see Pizauro, J.M. (1368) 108
Dicko, A., Di Paolo, T. and Pézolet, M.
Interaction of dehydroepiandrosterone with phospholipid membranes:an infrared spectroscopy investigation (1368) 321
Di Paolo, T., see Dicko, A. (1368) 321

Epand, R.M., see Polozov, I.V. (1368) 343
Escriou, V., Ciolina, C., Lacroix, F., Byk, G., Scherman, D. and Wils, P.
Cationic lipid-mediated gene transfer: effect of serum on cellular uptake and intracellular fate of lipopolyamine/DNA complexes (1368) 276

Fendler, K., see Gropp, T. (1368) 184

Ganea, C., Tittor, J., Bamberg, E. and Oesterhelt, D.
Chloride- and pH-dependent proton transport by BR mutant D85N (1368) 84
Gebauer, D., see Cevc, G. (1368) 201
Geisler, M., Koenen, W., Richter, J. and Schumann, J.
Expression and characterization of a *Synechocystis* PCC 6803 P-type ATPase in *E. coli* plasma membranes (1368) 267
Golden, G.A., Rubin, R.T. and Mason, R.P.
Steroid hormones partition to distinct sites in a model membrane bilayer: direct demonstration by small-angle X-Ray diffraction (1368) 161
Goñi, F.M., see Bakás, L. (1368) 225
Gonzalez-Christen, J., Vergne, I., Süßmuth, R., Sidobre, S., Prats, M., Tocanne, J.F. and Lanéelle, G.
Adjuvant lipopeptide interaction with model membranes (1368) 97
Grider, A., see Chang, C.-Y. (1368) 1
Gropp, T., Cornelius, F. and Fendler, K.
K^+-Dependence of electrogenic transport by the NaK–ATPase (1368) 184

Hincha, D.K., Oliver, A.E. and Crowe, J.H.
The effects of chloroplast lipids on the stability of liposomes during freezing and drying (1368) 150
Hope, M.J., see Rodrigueza, W.V. (1368) 306

Inoo, K., see Shinohara, Y. (1368) 129
Iseki, K., Naasani, I., Kikuchi, T., Sugawara, M., Kobayashi, M., Kohri, N. and Miyazaki, K.
Purification and liposomal reconstitution of the oligopeptide transport activity in rat renal cortex using ceftibuten-affinity chromatography (1368) 329

Janoff, A.S., see Shangguan, T. (1368) 171
Joó, F., see Logue, J.A. (1368) 41

Karolis, C., Coster, H.G.L., Chilcott, T.C. and Barrow, K.D.
Differential effects of cholesterol and oxidised-cholesterol in egg lecithin bilayers (1368) 247
Kawamura, M., see Vasilets, L.A. (1368) 137
Kikuchi, T., see Iseki, K. (1368) 329
Klimuk, S.K., see Rodrigueza, W.V. (1368) 306

Knoll, W., see Kobayashi, K. (1368) 35
Kobayashi, K., Mittler-Neher, S., Spinke, J., Wenz, G. and Knoll, W.
Translocation of alkali metal cations by lipophilic cyclodextrin derivatives through black lipid membranes (1368) 35
Kobayashi, M., see Iseki, K. (1368) 329
Koenen, W., see Geisler, M. (1368) 267
Kohri, N., see Iseki, K. (1368) 329

Lacroix, F., see Escriou, V. (1368) 276
Lanéelle, G., see Gonzalez-Christen, J. (1368) 97
Laprade, R., see Villalon, M. (1368) 27
Leone, F.A., see Pizauro, J.M. (1368) 108
Levadny, V., Aguilella, V.M. and Belaya, M.
Access resistance of a single conducting membrane channel (1368) 338
Liu, S.-I., Chi, C.-W., Lui, W.-Y., Mok, K.-T., Wu, C.-W. and Wu, S.-N.
Correlation of hepatocyte growth factor-induced proliferation and calcium-activated potassium current in human gastric cancer cells (1368) 256
Logue, J.A., Vigh, L., Joó, F. and Cossins, A.R.
Catalytic hydrogenation of polyunsaturated biological membranes: effects on membrane fatty acid composition and physical properties (1368) 41
Luchian, T. and Schreibmayer, W.
Ion permeation through a G-protein activated (GIRK1/GIRK5) inwardly rectifying potassium channel (1368) 167
Lui, W.-Y., see Liu, S.-I. (1368) 256

Marakhova, I.I., Vereninov, A.A., Toropova, F.V. and Vinogradova, T.A.
Na, K-ATPase pump in activated human lymphocytes: on the mechanisms of rapid and long-term increase in K influxes during the initiation of phytohemagglutinin-induced proliferation (1368) 61
Mason, R.P., see Golden, G.A. (1368) 161
McNeil, S., see Pink, D.A. (1368) 289
Meers, P., see Shangguan, T. (1368) 171
Miller, I.R., see Bach, D. (1368) 216
Mishra, V.K., see Polozov, I.V. (1368) 343
Mittler-Neher, S., see Kobayashi, K. (1368) 35
Miyazaki, K., see Iseki, K. (1368) 329
Mok, K.-T., see Liu, S.-I. (1368) 256
Morishima, S., see Sabirov, R.Z. (1368) 19
Muga, S.J., see Chang, C.-Y. (1368) 1

Naasani, I., see Iseki, K. (1368) 329

Oesterhelt, D., see Ganea, C. (1368) 84
Okada, Y., see Sabirov, R.Z. (1368) 19
Oliver, A.E., see Hincha, D.K. (1368) 150
Ostolaza, H., see Bakás, L. (1368) 225

Pak, C.C., see Shangguan, T. (1368) 171
Paw, Z., see Albert, A.D. (1368) 52
Pézolet, M., see Dicko, A. (1368) 321
Pink, D.A., McNeil, S., Quinn, B. and Zuckermann, M.J.
A model of hydrogen bond formation in phosphatidylethanolamine bilayers (1368) 289
Pizauro, J.M., Demenis, M.A., Ciancaglini, P. and Leone, F.A.
Kinetic characterization of a membrane-specific ATPase from rat osseous plate and its possible significance on endochondral ossification (1368) 108
Polozov, I.V., Polozova, A.I., Mishra, V.K., Anantharamaiah, G.M., Segrest, J.P. and Epand, R.M.
Studies of kinetics and equilibrium membrane binding of class A and class L model amphipathic peptides (1368) 343
Polozova, A.I., see Polozov, I.V. (1368) 343
Prats, M., see Gonzalez-Christen, J. (1368) 97
Pritchard, P.H., see Rodrigueza, W.V. (1368) 306

Quinn, B., see Pink, D.A. (1368) 289

Richter, J., see Geisler, M. (1368) 267
Riede, B., see Beutner, G. (1368) 7
Rodrigueza, W.V., Klimuk, S.K., Pritchard, P.H. and Hope, M.J.
Cholesterol mobilization and regression of atheroma in cholesterol-fed rabbits induced by large unilamellar vesicles (1368) 306
Rubin, R.T., see Golden, G.A. (1368) 161
Rück, A., see Beutner, G. (1368) 7

Sabirov, R.Z., Morishima, S. and Okada, Y.
Probing the water permeability of ROMK1 and amphotericin B channels using *Xenopus* oocytes (1368) 19
Schätzlein, A., see Cevc, G. (1368) 201
Scherman, D., see Escriou, V. (1368) 276
Schreibmayer, W., see Luchian, T. (1368) 167
Schumann, J., see Geisler, M. (1368) 267
Schwartz, J.-L., see Villalon, M. (1368) 27
Schwarz, W., see Vasilets, L.A. (1368) 137
Segrest, J.P., see Polozov, I.V. (1368) 343
Shangguan, T., Pak, C.C., Ali, S., Janoff, A.S. and Meers, P.
Cation-dependent fusogenicity of an *N*-acyl phosphatidylethanolamine (1368) 171
Shinohara, Y., Yamamoto, K., Inoo, K., Yamazaki, N. and Terada, H.
Quantitative determinations of the steady state transcript levels of hexokinase isozymes and glucose transporter isoforms in normal rat tissues and the malignant tumor cell line AH130 (1368) 129
Sidobre, S., see Gonzalez-Christen, J. (1368) 97
Soloaga, A., see Bakás, L. (1368) 225
Spinke, J., see Kobayashi, K. (1368) 35
Stieber, J., see Cevc, G. (1368) 201
Subczynski, W.K., see Wisniewska, A. (1368) 235
Sugawara, M., see Iseki, K. (1368) 329
Süßmuth, R., see Gonzalez-Christen, J. (1368) 97

Takeda, K., see Vasilets, L.A. (1368) 137
Terada, H., see Shinohara, Y. (1368) 129
Tittor, J., see Ganea, C. (1368) 84
Tocanne, J.F., see Gonzalez-Christen, J. (1368) 97
Toropova, F.V., see Marakhova, I.I. (1368) 61

Vachon, V., see Villalon, M. (1368) 27
Vasilets, L.A., Takeda, K., Kawamura, M. and Schwarz, W.
Significance of the glutamic acid residues Glu_{334}, Glu_{959}, and Glu_{960} of the α subunits of *Torpedo* Na^+,K^+ pumps for transport activity and ouabain binding (1368) 137
Veiga, M.P., see Bakás, L. (1368) 225
Vereninov, A.A., see Marakhova, I.I. (1368) 61
Vergne, I., see Gonzalez-Christen, J. (1368) 97
Vigh, L., see Logue, J.A. (1368) 41
Villalon, M., Vachon, V., Brousseau, R., Schwartz, J.-L. and Laprade, R.
Video imaging analysis of the plasma membrane permeabilizing effects of *Bacillus thuringiensis* insecticidal toxins in Sf9 cells (1368) 27
Vinogradova, T.A., see Marakhova, I.I. (1368) 61

Wenz, G., see Kobayashi, K. (1368) 35
Wils, P., see Escriou, V. (1368) 276